

1. Foy AJ, Liu G, Davidson WR, Jr., Sciamanna C, Leslie DL. Comparative effectiveness of diagnostic testing strategies in emergency department patients with chest pain: an analysis of downstream testing, interventions, and outcomes. *JAMA Intern Med*. 2015;175(3):428-36.
2. Gulati M, Levy PD, Mukherjee D, Amsterdam E, Bhatt DL, Birtcher KK, et al. 2021 AHA/ACC/ASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *Circulation*. 2021;144(22):e368-e454.
3. Cullen L, Parsonage WA, Greenslade J, Lamanna A, Hammett CJ, Than M, et al. Comparison of early biomarker strategies with the Heart Foundation of Australia/Cardiac Society of Australia and New Zealand guidelines for risk stratification of emergency department patients with chest pain. *Emerg Med Australas*. 2012;24(6):595-603.
4. Paré DP, F. . Ai-je vraiment besoin d'une épreuve d'effort pour cette DRS ? TOP MU2019. p. <https://topmu.ca/courses/tu-03-7-epreuve-deffort/>.
5. Morgenstern J. Stress Test Evidence: Introduction First10EM2019 [Available from: <https://first10em.com/stress-test-evidence-intro/>].
6. Helman AM, J., Spiegel R. Cardiac Stress Testing After Negative Workup for MI [Internet]; 2019 [cited December 2024]. Podcast. Available from: <https://emergencymedicinecases.com/cardiac-stress-testing/>
7. McCarthy CP, Wasfy JH, Januzzi JL, Jr. Is Myocardial Infarction Overdiagnosed? *Jama*. 2024;331(19):1623-4.
8. Cordoba G, Schwartz L, Woloshin S, Bae H, Gøtzsche PC. Definition, reporting, and interpretation of composite outcomes in clinical trials: systematic review. *Bmj*. 2010;341:c3920.
9. Shepshelovich D, Yahav D, Rome DR, Goldvaser H, Richter I, Hermann EA, et al. Heterogeneity of Primary Outcomes in Large Atherosclerotic Cardiovascular Disease Trials Published in Prominent Medical Journals. *JAMA Intern Med*. 2025.
10. Pope JH, Aufderheide TP, Ruthazer R, Woolard RH, Feldman JA, Beshansky JR, et al. Missed diagnoses of acute cardiac ischemia in the emergency department. *N Engl J Med*. 2000;342(16):1163-70.
11. Napoli AM. The association between pretest probability of coronary artery disease and stress test utilization and outcomes in a chest pain observation unit. *Acad Emerg Med*. 2014;21(4):401-7.

12. Lim SH, Anantharaman V, Sundram F, Chan ES, Ang ES, Yo SL, et al. Stress myocardial perfusion imaging for the evaluation and triage of chest pain in the emergency department: a randomized controlled trial. *J Nucl Cardiol*. 2013;20(6):1002-12
13. Morgan D. Testing Wisely : disease risk calculator 2021 [December 2024]. Available from: <https://calculator.testingwisely.com/>.
14. Fihn SD, Gardin JM, Abrams J, Berra K, Blankenship JC, Dallas AP, et al. 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. 2012;60(24):e44-e164.
15. Froelicher VF, Lehmann KG, Thomas R, Goldman S, Morrison D, Edson R, et al. The electrocardiographic exercise test in a population with reduced workup bias: diagnostic performance, computerized interpretation, and multivariable prediction. Veterans Affairs Cooperative Study in Health Services #016 (QUEXTA) Study Group. Quantitative Exercise Testing and Angiography. *Ann Intern Med*. 1998;128(12 Pt 1):965-74.
16. de Jong MC, Genders TS, van Geuns RJ, Moelker A, Hunink MG. Diagnostic performance of stress myocardial perfusion imaging for coronary artery disease: a systematic review and meta-analysis. *Eur Radiol*. 2012;22(9):1881-95.
17. Hermann LK, Newman DH, Pleasant WA, Rojanasartikul D, Lakoff D, Goldberg SA, et al. Yield of routine provocative cardiac testing among patients in an emergency department-based chest pain unit. *JAMA Intern Med*. 2013;173(12):1128-33.
18. Krishnan S, Venn R, Blumenthal DM, Bhambhani V, Gewirtz H, Weiner RB, et al. Utilization of stress testing for low-risk patients with chest discomfort in the emergency department. *J Nucl Cardiol*. 2019;26(5):1642-6.
19. Sandhu AT, Heidenreich PA, Bhattacharya J, Bundorf MK. Cardiovascular Testing and Clinical Outcomes in Emergency Department Patients With Chest Pain. *JAMA Intern Med*. 2017;177(8):1175-82.
20. Meyer MC, Mooney RP, Sekera AK. A critical pathway for patients with acute chest pain and low risk for short-term adverse cardiac events: role of outpatient stress testing. *Ann Emerg Med*. 2006;47(5):427-35.

21. Skoien W. Diagnostic Yield of Routine Stress Testing in Low and Intermediate Risk Chest Pain Patients Under 40 Years: A Systematic Review. *Crit Pathw Cardiol.* 2016;15(3):114-20.
22. Divakaran S, Cheezum MK, Hulten EA, Bittencourt MS, Silverman MG, Nasir K, et al. Use of cardiac CT and calcium scoring for detecting coronary plaque: implications on prognosis and patient management. *Br J Radiol.* 2015;88(1046):20140594.
23. Douglas PS, Hoffmann U, Patel MR, Mark DB, Al-Khalidi HR, Cavanaugh B, et al. Outcomes of anatomical versus functional testing for coronary artery disease. *N Engl J Med.* 2015;372(14):1291-300.
24. CT coronary angiography in patients with suspected angina due to coronary heart disease (SCOT-HEART): an open-label, parallel-group, multicentre trial. *Lancet.* 2015;385(9985):2383-91.
25. Newby DE, Adamson PD, Berry C, Boon NA, Dweck MR, Flather M, et al. Coronary CT Angiography and 5-Year Risk of Myocardial Infarction. *N Engl J Med.* 2018;379(10):924-33.
26. Frisoli TM, Nowak R, Evans KL, Harrison M, Alani M, Varghese S, et al. Henry Ford HEART Score Randomized Trial: Rapid Discharge of Patients Evaluated for Possible Myocardial Infarction. *Circ Cardiovasc Qual Outcomes.* 2017;10(10).
27. Young LH, Wackers FJ, Chyun DA, Davey JA, Barrett EJ, Taillefer R, et al. Cardiac outcomes after screening for asymptomatic coronary artery disease in patients with type 2 diabetes: the DIAD study: a randomized controlled trial. *Jama.* 2009;301(15):1547-55.
28. Poldervaart JM, Reitsma JB, Backus BE, Koffijberg H, Veldkamp RF, Ten Haaf ME, et al. Effect of Using the HEART Score in Patients With Chest Pain in the Emergency Department: A Stepped-Wedge, Cluster Randomized Trial. *Ann Intern Med.* 2017;166(10):689-97.
29. Mahler SA, Hiestand BC, Goff DC, Jr., Hoekstra JW, Miller CD. Can the HEART score safely reduce stress testing and cardiac imaging in patients at low risk for major adverse cardiac events? *Crit Pathw Cardiol.* 2011;10(3):128-33.
30. Anwar I, Sony D. HEART Score: Prospective Evaluation of Its Accuracy and Applicability. *Indian J Crit Care Med.* 2024;28(8):748-52.
31. Backus BE, Six AJ, Kelder JC, Bosschaert MA, Mast EG, Mosterd A, et al. A prospective validation of the HEART score for chest pain patients at the emergency department. *Int J Cardiol.* 2013;168(3):2153-8.

32. Bouzas-Mosquera A, Peteiro J, Broullón FJ, Calviño-Santos R, Mosquera VX, Martínez D, et al. Value of the coronary artery disease consortium rule in patients with acute chest pain and negative troponins referred for exercise stress testing. *European Journal of Emergency Medicine*. 2018;25(3):178-84.
33. Fanning JP, Nyong J, Scott IA, Aroney CN, Walters DL. Routine invasive strategies versus selective invasive strategies for unstable angina and non-ST elevation myocardial infarction in the stent era. *Cochrane Database of Systematic Reviews*. 2016(5).
34. Hoenig MR, Aroney CN, Scott IA. Early invasive versus conservative strategies for unstable angina and non-ST elevation myocardial infarction in the stent era. *Cochrane Database Syst Rev*. 2010(3):Cd004815.
35. Stergiopoulos K, Brown DL. Initial coronary stent implantation with medical therapy vs medical therapy alone for stable coronary artery disease: meta-analysis of randomized controlled trials. *Arch Intern Med*. 2012;172(4):312-9.
36. Khan SU, Singh M, Lone AN, Khan MS, Fatima U, Saad AB, et al. Meta-analysis of long-term outcomes of percutaneous coronary intervention versus medical therapy in stable coronary artery disease. *Eur J Prev Cardiol*. 2019;26(4):433-6.
37. Al-Lamee R, Thompson D, Dehbi HM, Sen S, Tang K, Davies J, et al. Percutaneous coronary intervention in stable angina (ORBITA): a double-blind, randomised controlled trial. *Lancet*. 2018;391(10115):31-40.
38. Maron DJ, Hochman JS, Reynolds HR, Bangalore S, O'Brien SM, Boden WE, et al. Initial Invasive or Conservative Strategy for Stable Coronary Disease. *N Engl J Med*. 2020;382(15):1395-407.
39. Jena AB, Prasad V, Goldman DP, Romley J. Mortality and treatment patterns among patients hospitalized with acute cardiovascular conditions during dates of national cardiology meetings. *JAMA Intern Med*. 2015;175(2):237-44.
40. Jena AB, Olenski A, Blumenthal DM, Yeh RW, Goldman DP, Romley J. Acute Myocardial Infarction Mortality During Dates of National Interventional Cardiology Meetings. *J Am Heart Assoc*. 2018;7(6).
41. Mancini GB, Gosselin G, Chow B, Kostuk W, Stone J, Yvorchuk KJ, et al. Canadian Cardiovascular Society guidelines for the diagnosis and management of stable ischemic heart disease. *Can J Cardiol*. 2014;30(8):837-49.
42. PEER. Simplified Cardiovascular . Decision Aid. 2023.